

Upstream:

USB Type-C Male
(Connect to host computer)



Downstream:

USB-A



- Supports USB 3.0 super speed (5Gbps) transmission, downward compatible USB2.0.
- Supports max 900mA downstream charging.
- Supports to charge and transmit data for the USB device simultaneously.

VGA



- Supports VGA resolution up to 1920x1200@60Hz.

HDMI



- Supports HDMI video resolution up to 4Kx2K@30Hz,9Gbps Bandwidth.

RJ45



- Supports 10/100/1000Mbps bandwidth for RJ45 port.

Features

- Support twisted pair crossover detection and auto-correction
- Support HDMI and VGA to display simultaneously
- Easy to use and Portable.

Note: When both video ports are connected, HDMI and VGA display the same image with resolution up to 1080P@60Hz.

User Manual

USB Type-C® Multiport Adapter - HDMI® 4K - VGA GbE - USB®3.0 Port - Black

Y10A248-B1

Congratulations

Thank you for purchasing this premium Rocstor product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

Introduction

This is a premium Rocstor USB-C to USB 3.0, HDMI, VGA and RJ45 port Adapter. The USB3.0 port allows you to connect a USB device or another hub to the host computer, the Gigabit Ethernet port allows the host computer to get access to the network, and the HDMI port and VGA port (DP Altmode) allows you to connect an HDMI monitor and a VGA monitor so that you can watch videos or slideshows together on a big screen. It can work on Macbook or Google new Chromebook Pixel and other USB-C supported devices.

Package Contents

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the Packaging:

- 1 x Main Unit
- User Manual

How to Use

- 1- Connect the USB-C male port of this product to Macbook or Chromebook or other USB-C host.
- 2- Connect HDMI output of this product to HDTV with one HDMI cable.
- 3- Connect VGA output of this product to VGA display with one VGA cable.
- 4- Connect the USB 3.0 output of this product to a USB 3.0/USB 2.0 device.
- 5- Connect Gigabit Ethernet port of this product to Ethernet Router with an Ethernet cable.
- 6- Automatically or manually set IP address of computer.

Specification

Input / Output Connector

Input	USB Type-C Male x1
Output	USB-C Male x1
	HDMI Female x1
	VGA Female x1
	USB 3.0 Female x1
	RJ45 x1

Warranty

Limited Warranty	3 Year
------------------	--------

Environmental

Operating Temperature	0°C to + 45°C - (32°F to + 113°F)
Operating Humidity	10% to 90 % RH (no condensation)
Storage Temperature	-10°C to + 70°C - (14°F to + 158°F)
Storage Humidity	10% to 90 % RH (no condensation)

Regulatory Approvals

Certifications	FCC, CE
----------------	---------

Power Supply

USB 3.0 Port	UP to 4.5W (5V/0.9A)
--------------	----------------------

Accessories

User Manual	English Version
-------------	-----------------

System Requirement

Host computer with an available USB-C Port

- USB 3.0/3.1/3.2

Operating systems

- Windows 7 / 8 / 10 / 11
- Android OS
- Chrome OS
- Linux OS
- Mac OS v10.5 or above

Connection Diagram



Support

Technical support is available to all the registered users of Rocstor products.

Technical Support / RMA

Hours: 9:00 am - 5:00 pm PST

Monday to Friday (except holidays)

Tell: +1 (818) 727-7000 (National and international)

Fax: +1 (818) 875-0002

Email: support@Rocstor.com

Safety Information:

WARNING: Please follow these safety instructions. Failure to do so may result damages or injury. It is normal that the Rocstor Multi-port Hub adapter becomes very warm during use.

Please note that:

continuous contact with warm surfaces for extended time may cause discomfort or injury. In order to reduce the possibility of overheating or heat-related injuries, always allow needed ventilation around the Rocstor Multi-port Hub adapter and use care when handling it. Avoid instances where your skin is in extended contact with the hub when plugged into the host computer. It is not recommended to sleep with the adapter when plugged into a host computer. Avoid placing the hub adapter under a pillow, blanket, or your body when connected to a host computer. If you have a medical condition that affects your ability to detect heat against the body, extra care should be used. Never use the adapter in locations with water, such as a sink, bathtub, or shower stall. Never connect or disconnect the adapter with wet hands.



8 10606 03511 1



Warranty Information

Warranty Information

This product is backed by a (3)three-year warranty. Rocstor warrants its products against defects in materials and workmanship for the periods noted, following the initial date of purchase. During this period, the products may be returned for repair, or replacement with equivalent products at our discretion. The warranty covers parts and labor costs only. Rocstor does not warrant its products from defects or damages arising from misuse, abuse, alteration, or normal wear and tear.

Limitation of Liability

In no event shall the liability of Rocstorage, Inc. and Rocstor (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.

©2021 Rocstorage, Inc. All rights reserved. Rocstor is registered trademark of Rocstorage, Inc. Apple®, the Apple logo, Mac®, MacBook®, MacBook Pro®, MacBook Air®, iPad®, iPad Air®, iPad mini®, iPad Air®, iPhone®, MacOS® are registered trademarks of Apple, Inc. Google® and Chromebook™ are registered trademarks of Google, LLC. Microsoft® is registered trademarks of Microsoft corporation. All other product names and logos mentioned herein may be trademarks of their respective companies. USB Type-C® and USB-C® are registered trademark of USB Implementers Forum. Feature and specification are subject to change without notice. All trademarks and registered trademarks are the property of their respective. All rights reserved.

